CANIQUANTEL® Plus *palatable* tablets

QUALITATIVE AND QUANTITATIVE COMPOSITION

1 tablet contains:

Praziquantel	50.0 mg
Fenbendazole	500.0 mg



Pharmaceutical form
Tablets for oral use

CLINICAL PARTICULARS

Target species
Dogs and Cats

Indications of use
For the treatment of mixed infections with roundworms and tapeworms inclusive all intestinal stages in dogs and cats

Contraindications
Due to the lack of relevant informations *Caniquantel® plus palatable* tablets should not be used in pregnant animals up to day 39.

Posology and route of administration
The recommended dosage is 5 mg of praziquantel and 50 mg of fenbendazole per kg body weight. This corresponds to 1 tablet *Caniquantel® plus palatable* per 10 kg body weight.
For the treatment of adult dogs a repeated administration of *Caniquantel® plus palatable* tablets on three consecutive days is recommended.
The tablet is administered directly or mixed with food. Dietary measures or fasting are not necessary.

Withdrawal period(s)
Not applicable

PHARMACEUTICAL PARTICULARS

Shelf life
Shelf-life of the veterinary medicinal product as packaged for sale: 4 years

Special precautions for storage
Dry at temperature < 30° C
Protected from light.

Presentations
1 Blister containing 3 tablets
1 Blister containing 12 tablets
(The presentation varies from country to country)

DISCLAIMER : Informative document for web navegation. Not valid for juridical purposes. Each country could have a different authorised SPC.